Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 23, October 1, 2015

For the Period September 22 to 28, 2015

Warm and relatively dry weather has allowed many producers to return to the field following last week's rain delay. Seventy-four per cent of the crop is now in the bin while 19 per cent is swathed or ready to straight-cut, according to Saskatchewan Agriculture's weekly Crop Report. The five-year (2010-2014) average for this time of year is 71 per cent combined and 20 per cent swathed or ready to straight-cut.

Regionally, producers in the southeast are furthest advanced, having 88 per cent of the crop combined. Producers in the southwest have 85 per cent combined. Seventy per cent of the crop is combined in the west-central region; 66 per cent in the east-central region; 57 per cent in the northwest and 59 per cent in the northeast.

Eighty-seven per cent of the mustard, 79 per cent of the durum, 77 per cent of the barley, 72 per cent of the spring wheat, 70 per cent of the canola, 46 per cent of the soybeans and 33 per cent of the flax have been combined.

The majority of the province did not receive any rainfall this past week. Provincially, topsoil moisture conditions on cropland are rated as five per cent surplus, 86 per cent adequate, eight per cent short and one per cent very short. Hay land and pasture topsoil moisture conditions are rated as three per cent surplus, 76 per cent adequate, 18 per cent short and three per cent very short.

One year ago

Warm and dry weather helped producers progress with harvest. Sixty-eight per cent of the 2014 crop had been combined. Fusarium head blight and frost were causing quality issues.

Follow the 2015 Crop Report on Twitter @SKAgriculture

Saskatchewan Harvest September 28, 2015 % combined	
Winter wheat	99
Fall rye*	99
Spring wheat	72
Durum	79
Oat*	59
Barley	77
Canaryseed	27
Flax	33
Canola	70
Mustard	87
Soybeans	46
Lentils	98
Peas	99
Chickpeas	49
*includes three per cent 'other'	

Harvest Progress in SK Per cent Combined All Crops	
Sept 28/15	**74**
5 year avg. (2010-2014)	71
Sept 29/14	68
Sept 30/13	79
Sept 24/12	89
Sept 26/11	91
Sept 27/10	29
10 year avg. (2005-2014)	74

Many areas received frost this past week, although damage is minimal in most cases as crops were mature. Weather-related quality issues continue to cause concern in most areas. While overall yields are reported to be about average, they vary from region to region.

The Ministry of Agriculture has a Forage, Feed and Custom Service listing for producers to advertise and source feed products. It is available at: www.agriculture.gov.sk.ca/FeedForageListing

Farmers are busy harvesting and hauling grain and bales.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Producers were able to get back into the field this past week, thanks to warm and dry weather. Eighty-eight per cent of the crop is now in the bin, up from 79 per cent last week. The five-year (2010-2014) average for this time of year is 68 per cent combined. Many producers have wrapped up harvest while others need more time to take off the remainder of the crop.

Most of the region did not receive any rainfall this past week, although the Moosomin area is reporting 6 mm. At 414 mm, the Tantallon area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as two per cent surplus, 78 per cent adequate, 19 per cent short and one per cent very short. Hay land and pasture topsoil moisture is rated as 67 per cent adequate, 32 per cent short and one per cent very short.

The majority of crop damage this week was caused by strong winds and frost; however, damage is minimal in most cases as crops were mature. There are reports that swaths are slow to dry down in some areas and that some tough grain is being placed into aeration. Quality issues remain a concern due to the wet conditions this fall. Farmers are busy finishing up harvest and completing fall work such as spraying weeds and working fields.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Warm and dry weather allowed many producers to return to the field this week, although progress has been slow. Eighty-five per cent of the crop is now combined, up from 81 per cent last week. The five-year (2010-2014) average for this time of year is 77 per cent combined. Continued warm and dry weather is needed for many producers to complete harvesting.

There was no significant rainfall reported this past week in the region. At 522 mm, the Mortlach area holds the regional and provincial records for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as 86 per cent adequate, 12 per cent short and two per cent very short. Hay land and pasture topsoil moisture is rated as 65 per cent adequate, 29 per cent short and six per cent very short.

Strong winds caused most of the crop damage this past week. Frost was reported in some areas; however, damage is minimal as most of the crops were mature. High humidity in some parts of the region is slowing crop dry-down and much of the remaining grain is being aerated. Quality issues remain a concern due to the wet conditions this fall. Farmers are busy finishing harvest, moving cattle, spraying weeds and working fields.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Significant progress was made this past week thanks to warm and relatively dry weather. Producers now have 66 per cent of the crop combined, up from 47 per cent last week. The five-year (2010-2014) average for this time of year is 64 per cent combined.

Rainfall ranged from trace amounts to 6 mm in the Watrous area. At 414 mm, the Quill Lake and Bradwell areas jointly hold the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 11 per cent surplus, 85 per cent adequate, two per cent short and two per cent very short, while hay land and pasture topsoil moisture conditions are rated as seven per cent surplus, 86 per cent adequate, six per cent short and one per cent very short.

The majority of crop damage this past week is due to strong winds that have blown swaths around. Some areas received frost, although damage is minimal in most cases as crops were mature. Some remaining grain is coming off tough and is being aerated. There are reports that some fields remain very wet and cannot hold equipment for long periods of time. Quality issues remain a concern due to the wet conditions this fall. Farmers are busy harvesting, hauling bales, spraying weeds and working fields.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Producers now have 70 per cent of the crop combined, up from 52 per cent last week. The five-year (2010-2014) average for this time of year is 71 per cent combined. Warm and relatively dry weather allowed some producers to wrap up harvest; however, others will need at least a week or more of good weather to finish up.

Little to no rainfall fell in most parts of the region last week, although the Hanley area is reporting 18 mm. At 355 mm, the Outlook area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as one per cent surplus, 94 per cent adequate and five per cent short. Hay land and pasture topsoil moisture is rated as 93 per cent adequate, six per cent short and one per cent very short.

Most crop damage this week was caused by strong winds that have blown swaths around. The area received frost last week; however, the majority of unharvested crops were not damaged as they were mature. Some crops are slow to dry-down due to high humidity and heavy dew. Quality issues remain a concern due to the wet conditions this fall. Farmers are busy harvesting, working fields, spraying weeds and moving cattle.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Significant progress was made this past week and producers now have 59 per cent of the crop in the bin, up from 34 per cent last week. The five-year (2010-2014) average for

this time of year is 70 per cent combined. Several more weeks of warm and dry weather will be needed for producers to finish harvest.

Very little rainfall was received this past week, although the Porcupine Plain area reported 3 mm.

At 482 mm, the Nipawin area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 18 per cent surplus, 67 per cent adequate and 15 per cent short. Hay land and pasture topsoil moisture is rated as 13 per cent surplus and 87 per cent adequate. Some fields remain very wet and cannot hold equipment for long periods of time.

Strong winds blew some swaths around and shelled out some standing crops. Much of the area received frost, although crop damage is minimal in most cases as crops were mature. High humidity and heavy dew is delaying crop dry-down and some grain is being aerated. Quality issues remain a concern due to the wet conditions this fall. Farmers are busy harvesting, working fields and hauling bales.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

The northwestern region has 57 per cent of the crop combined, up from 32 per cent last week. The five-year (2010-2014) average for this time of year is 68 per cent combined. Producers will need several more weeks of warm and dry weather to complete harvest.

Rainfall in the region ranged from trace amounts to 1 mm in the Lloydminster area. At 371 mm, the Duck Lake area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as six per cent surplus, 88 per cent adequate and six per cent short. Hay land and pasture topsoil moisture is rated as five per cent surplus, 85 per cent adequate and 10 per cent short.

Crop damage this past week was mainly attributed to strong winds and frost that damaged some late-seeded crops. Most of the remaining cereal crops are slow to dry down and much of the grain is being placed into aeration. Quality issues remain a concern due to the wet conditions this fall.

Farmers are busy harvesting, hauling bales, spraying weeds and working fields.

Saskatchewan Harvest Progress Tables - September 28, 2015

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	0	0	45	55	
provincial	**0**	**0**	**1**	**99**	
Fall Rye	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	0	0	0	100	0
southwest	0	0	0	96	4
east central	0	0	0	100	0
west central	0	0	0	100	0
northeast	0	0	0	100	0
northwest	0	10	20	69	1
provincial	**0**	**1**	**0**	**96**	**3**
Spring Wheat	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	2	2	4	92	
southwest	5	1	12	82	
east central	7	15	15	63	
west central	8	11	18	63	
northeast	2	6	19	73	
northwest	6	6	22	66	
provincial	**5**	**8**	**15**	**72**	
Durum	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	4	3	4	89	
southwest	7	0	12	81	
east central	9	23	15	53	
west central	16	9	18	57	
northeast	0	16	21	63	
northwest	N/A	N/A	N/A	N/A	
provincial	**8**	**3**	**10**	**79**	
Barley	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	4	6	90	
southwest	4	3	6	87	
east central	5	14	4	77	
west central	7	12	23	58	
northeast	2	5	5	88	
northwest	5	18	15	62	
provincial	**4**	**10**	**9**	**77**	

Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	2	5	2	89	2
southwest	15	8	15	59	3
east central	8	26	9	54	3
west central	18	18	13	40	11
northeast	7	7	28	58	0
northwest	22	22	10	38	8
provincial	**10**	**16**	**15**	**56**	**3**
Canaryseed	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	18	5	19	58	
southwest	17	19	17	47	
east central	27	26	44	3	
west central	51	5	43	1	
northeast	66	5	17	12	
northwest	N/A	N/A	N/A	N/A	
provincial	**49**	**8**	**16**	**27**	
Flax	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	24	7	12	57	
southwest	40	8	22	30	
east central	57	16	14	13	
west central	51	11	20	18	
northeast	59	17	21	3	
northwest	50	12	13	25	
provincial	**41**	**11**	**15**	**33**	
Canola	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	1	7	0	92	
southwest	1	6	3	90	
east central	4	22	5	69	
west central	1	21	6	72	
northeast	2	46	5	47	
northwest	0	50	3	47	
provincial	**2**	**25**	**3**	**70**	
Mustard	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	3	3	94	
southwest	1	1	5	93	
east central	0	9	16	75	
west central	24	20	4	52	
northeast	0	55	5	40	
northwest	N/A	N/A	N/A	N/A	
provincial	**4**	**4**	**5**	**87**	

Soybeans	% Standing	% in swath	% ready to straight combine	% combined	
southeast	31	0	18	51	
southwest	67	0	33	0	
east central	83	0	13	4	
west central	60	0	10	30	
northeast	77	3	17	3	
northwest	N/A	N/A	N/A	N/A	
provincial	**37**	**0**	**17**	**46**	
Field Peas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	1	0	0	99	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	**1**	**0**	**0**	**99**	
Lentils	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	2	0	1	97	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	**1**	**0**	1	**98**	
Chickpeas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	32	0	25	43	
east central	0	0	0	100	
west central	77	0	0	23	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	**29**	**0**	**22**	**49**	

Crop Districts and Rural Municipalities in Saskatchewan



Government of Saskatchewan

0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014

Weekly Rainfall

from September 22 to September 28, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 30, 2015

© 2015 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 22 to 28, 2015

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	4	312
	3	Enniskillen	3	280
	33	Moose Creek	N/A	314
	34	Browning	NIL	310
	61	Antler	N/A	333
	63	Moose Mountain	NIL	240.89
	64	Brock	NIL	232
	65	Tecumseh	NIL	212.5
1B	91	Maryfield	N/A	291
	122	Martin	6	370
	123	Silverwood	NIL	356
	124	Kingsley	NIL	343
	125 A	Chester	NIL	317
	125 B	Chester	N/A	283
	151 A	Rocanville	NIL	414
	154	Elcapo	NIL	261
	155 A	Wolseley	NIL	394
2A	67	Weyburn	NIL	227
	68	Brokenshell	NIL	198
	97	Wellington	NIL	188
2B	127 A	Francis	NIL	297
	127 B	Francis	NIL	239.48
	129	Bratt's Lake	NIL	211.5
	131 A	Baildon	NIL	311
	131 B	Baildon	NIL	284
	156 A	Indian Head	NIL	258
	156 B	Indian Head	NIL	316
	160 A	Pense	N/A	220
	161	Moose Jaw	NIL	285
	162	Caron	N/A	246.18
	191	Marquis	N/A	329
3ASE	38 A	Laurier	NIL	170.82
	38 B	Laurier	NIL	170
	39 A	The Gap	N/A	193
3ASW	10	Happy Valley	NIL	172
	12	Poplar Valley	N/A	292
	40 A	Bengough	N/A	N/A
	40 B	Bengough	NIL	280
	42	Willow Bunch	NIL	252
	43	Old Post	NIL	196.5
	70	Key West	N/A	25.38
	73 A	Stonehenge	NIL	361.64
	73 B	Stonehenge	NIL	346
3AN	101	Terrell	NIL	283
	102	Lake Johnston	NIL	210.96
	103	Sutton	NIL	408
	132 A	Hillsborough	NIL	521.5
	132 B	Hillsborough	NIL	386
	134	Shamrock	N/A	31.5
	193 A	Eyebrow	NIL	359
	193 B	Eyebrow	N/A	388
3BS	17	Val Marie	N/A	212.04
	75 A	Pinto Creek	NIL	369
	75 B	Pinto Creek	N/A	43
	76	Auvergne	N/A	257
	77	Wise Creek	N/A	220
	78	Grassy Creek	N/A	198.5
	105	Glenbain	NIL	300.5
	106	Whiska Creek	NIL	293
	107	Lac Pelletier	NIL	165
	108	Bone Creek	NIL	210
3BN	138 A	Webb	NIL	293.5
	138 B	Webb	N/A	157.5
	166	Excelsior	N/A	322
	167	Sask. Landing	NIL	285.15
	168 A	Riverside	NIL	227
	168 B	Riverside	NIL	190.95
	226	Victory	N/A	216
	228	Lacadena	NIL	222
	257	Monet	NIL	233.79

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	N/A	228.98
	51	Reno	NIL	173.1
	79	Arlington	NIL	219
	109 A	Carmichael	N/A	218
	109 B	Carmichael	N/A	49
	110	Piapot	N/A	172
	111	Maple Creek	N/A	149.14
4B	139	Gull Lake	N/A	245
	142	Enterprise	N/A	231
	169	Pittville	N/A	111
	231	Happyland	NIL	122
5A	183	Fertile Belt	NIL	403
	186	Abernethy	N/A	294
	211	Churchbridge	NIL	305
	213	Saltcoats	NIL	359
	216	Tullymet	N/A	117
	241	Calder	N/A	266
	243	Wallace	NIL	165
	244	Orkney	NIL	231
	245 A	Garry	N/A	346
	245 B	Garry	NIL	342
	245 C	Garry	NIL	320
	246	Ituna Bon Accord	N/A	349
	247	Kellross	NIL	359
	248	Touchwood	N/A	306.99
5B	271	Cote	NIL	267
	273	Sliding Hills	NIL	252
	277	Emerald	N/A	327
	305	Invermay	NIL	323.5
	307	Elfros	NIL	334
	308 A	Big Quill	NIL	308
	308 B	Big Quill	NIL	293.5
	331	Livingston	NIL	150
	336	Sasman	NIL	314
	337	Lakeview	NIL	414
	338	Lakeside	NIL	373
	366	Kelvington	NIL	382
	367	Ponass Lake	NIL	373
6A	190 A	Dufferin	NIL	402
	190 B	Dufferin	NIL	346
	190 C	Dufferin	NIL	281
	190 D	Dufferin	NIL	218
	219 A	Longlaketon	N/A	349
	219 B	Longlaketon	NIL	364
	220	Mckillop	NIL	329
	221	Sarnia	N/A	316.85
	222	Craik	NIL	407.5
	251	Big Arm	N/A	271.75
	252	Arm River	N/A	367
	279	Mount Hope	N/A	282.5
	282	McCraney	NIL	315
	312	Morris	12	305
	313	Lost River	N/A	321
	339	Leroy	NIL	345.33
	340	Wolverine	NIL	386
	341	Viscount	N/A	401
	343 A	Blucher	NIL	413.89
	343 B	Blucher	N/A	135
6B	223	Huron	NIL	308
	284	Rudy	NIL	355
	285	Fertile Valley	NIL	310
	286	Milden	NIL	327
	314	Dundurn	18	322
	344	Corman Park	NIL	226
	346	Perdue	NIL	240
	376	Eagle Creek	NIL	266
	403	Rosthern	NIL	286

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	N/A	325
	288	Pleasant Valley	NIL	277
	290 A	Kindersley	NIL	195.56
	290 B	Kindersley	NIL	180.04
	290 C	Kindersley	NIL	102
	292	Milton	N/A	187
	317 A	Marriott	NIL	210
	317 B	Marriott	NIL	265
	318	Mountain View	NIL	274
	320 A	Oakdale	N/A	233
	320 B	Oakdale	NIL	203
	321	Prairiedale	NIL	279.5
7B	347	Biggar	NIL	255
	350 A	Mariposa	NIL	226.82
	350 B	Mariposa	NIL	202
	351	Progress	NIL	221
	352	Heart's Hill	NIL	256
	377	Glenside	NIL	266
	378 B	Rosemount	NIL	272
	379	Reford	NIL	239
	381	Grass Lake	N/A	191.5
	382	Eye Hill	NIL	193.16
	409	Buffalo	NIL	221
	410	Round Valley	N/A	241.01
8A	395	Porcupine	3	418
	397	Barrier Valley	NIL	359.89
	428	Star City	NIL	420
	456	Arborfield	NIL	399
	457	Connaught	N/A	377.99
	486	Moose Range	1	395
	487	Nipawin	NIL	482
8B	369	St. Peter	NIL	331
	370 A	Humboldt	NIL	469
	370 B	Humboldt	NIL	417
	371	Bayne	N/A	360
	372	Grant	0.1	373.59
	400	Three Lakes	NIL	401
	402	Fish Creek	NIL	309
	429	Flett's Springs	NIL	410
	459	Kinistino	NIL	423
	460	Birch Hills	1	326.26
9AE	488	Torch River	N/A	314
	520	Paddockwood	NIL	330
	521	Lakeland	NIL	330
9AW	406	Mayfield	NIL	213
	435	Redberry	NIL	352
	436	Douglas	NIL	310
	463	Duck Lake	NIL	370.5
	467 A	Round Hill	NIL	251
	467 B	Round Hill	NIL	264
9B	438	Battle River	N/A	245
	440	Hillsdale	NIL	254.5
	442	Manitou Lake	NIL	233.22
	498 A	Parkdale	NIL	313.09
	498 B	Parkdale	NIL	255
	499 A	Mervin	NIL	274.98
	499 B	Mervin	N/A	61.94
	501 A	Frenchman Butte	NIL	283
	501 B	Frenchman Butte	NIL	248
	501 C	Frenchman Butte	N/A	269
	502	Britannia	1	171.5
	561	Loon Lake	NIL	340
	588 A	Meadow Lake	NIL	320
	588 B	Meadow Lake	N/A	N/A
	588 C	Meadow Lake	NIL	293
	622	Beaver River	NIL	236.5

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B and C - more than one reporter

Cumulative Rainfall

from April 1 to September 28, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 30, 2015

© 2015 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

September 28, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 30, 2015

© 2015 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

September 28, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 30, 2015

© 2015 Government of Saskatchewan